

Attorney Docket: 501012.20517 (22868.49)

PROPOSED CLAIM AMENDMENTS

U.S. PATENT APPLICATION S.N. 09/950,038

1. (CURRENTLY AMENDED) A method for manufacturing patterns on a reticle blank comprising a substrate made from material transparent to UV irradiation and having a first surface and a second opposite surface, the first surface coated with a coating layer, the method comprising:
 - providing at least one of a plurality of ultra-short pulsed laser beams;
 - providing focusing means for focusing said at least one of a plurality of ultra-short pulsed laser beams at at least one of a plurality of target locations;
 - providing controlling means for controlling the synchronization and operation of the laser beam source and the focusing means; and
 - irradiating the ultra-short pulsed laser beam in a predetermined pattern directed at the second surface and passing through the substrate, wherein said at least one of a plurality of target locations is focused within a subsurface region in front of the coating layer,

thereby producing the predetermined pattern on the coating layer.
2. (PREVIOUSLY AMENDED) The method of Claim 1, wherein said at least one of the plurality of target locations is focused in a zone within the substrate extending up to 50 microns from the coating layer.
3. (ORIGINAL) The method of Claim 1, wherein the ultra-short pulsed laser beams' wavelength is in the range of 350 to 1500 nanometer.

NYLIB-259962.1-WHDIPPER 10/5/04 11:44 AM

Attorney Docket: 501012.20517 (22868.49)

4. (ORIGINAL) The method of Claim 1, wherein the ultra-short pulsed laser beams are pulsed in the range of 10 to 500 femtoseconds.
5. (PREVIOUSLY AMENDED) The method of Claim 1, wherein the coating layer of the substrate is coated with anti-reflective layer.
6. (ORIGINAL) The method of Claim 1, wherein the plurality of ultra-short pulsed laser beams is obtained by splitting a primary ultra-short pulsed laser beam using beam splitter.
7. (ORIGINAL) The method of Claim 1, wherein the plurality of ultra-short pulsed laser beams is passed through a light modulator array, comprising an array of individually controllable elements that are each adapted to be set to either allow each beam of the plurality of ultra-short pulsed laser beams to traverse through, or effectively block it, thus achieving control over each beam separately.
8. (ORIGINAL) The method of Claim 7, wherein the focusing means comprises a microlens array, consisting of an array of microlens elements foci of predetermined lengths, said microlens array elements corresponding to the elements of the light modulator array so that a beam passing through an element of the light modulator array is focused by a corresponding element of the microlens array onto a target location.
9. (PREVIOUSLY AMENDED) The method of Claim 24, wherein the displacing means comprises a motor-driven XYZ moving stage.
10. (ORIGINAL) The method of Claim 9, wherein said motor-driven moving stage is computer-controlled.
11. (PREVIOUSLY AMENDED) The method of Claim 24, wherein the displacing means comprises a laser beam angle scanner.

Attorney Docket: 501012.20517 (22868.49)

12. (PREVIOUSLY AMENDED) The method of Claim 24, wherein the displacement means comprises a motor driven XYZ stage and a laser beam angle scanner.

Claims 13 to 23 previously cancelled.

24. (PREVIOUSLY ADDED) The method of Claim 1, wherein displacing means for facilitating relative displacement of the reticle blank relative to said at least one of a plurality of target locations are provided.

25. (CURRENTLY AMENDED) A method for enhancing patterns on a reticle, the reticle comprising a transparent substrate and having a first surface and a second opposite surface, the first surface being covered with a coating layer with grooves in a predetermined pattern provided on it, or to be provided on it, the method comprising:

providing at least one of a plurality of ultra-short pulsed laser beams;

providing focusing means for focusing said at least one of a plurality of ultra-short pulsed laser beams at at least one of a plurality of target locations;

providing controlling means for controlling the synchronization and operation of the laser beam source and the focusing means; and

irradiating the ultra-short pulsed laser beam in a predetermined pattern directed at the second surface and passing through the substrate, wherein said at least one of a plurality of target locations is focused within a subsurface region in front of the coating layer and proximal to edges of the predetermined pattern, ~~thereby~~ and creating phase-shifting formation.

adjacent to

26. (PREVIOUSLY ADDED) The method of Claim 25, wherein the phase shifting formation is distanced from the coating layer by up to 10 microns.

Attorney Docket: 501012.20517 (22868.49)

27. (PREVIOUSLY ADDED) The method of Claim 25, wherein the phase shifting formation has a thickness that is $\lambda/2(n-n')$, where λ is the wavelength of an anticipated lithography process light source beam, n' is the index of refraction for the transparent material of the phase shifting layer of the substrate and n is the index of refraction of the substrate outside the phase shifting formation.

28. (PREVIOUSLY ADDED) The method of Claim 27, wherein the thickness of the phase shifting formation is in the range of from 0.12 to 3.0 microns.

29. (CURRENTLY AMENDED) The method of Claim 25, wherein ~~said at least one of the plurality of target locations is focused in a zone within the substrate extending the phase shifting formation is distanced from the coating layer by up to 50 microns from the coating layer.~~

30. (PREVIOUSLY ADDED) The method of Claim 25, wherein the ultra-short pulsed laser beams' wavelength is in the range of from 350 to 1500 nanometer.

31. (PREVIOUSLY ADDED) The method of Claim 25, wherein the ultra-short pulsed laser beams are pulsed in the range of from 10 to 500 femtoseconds.

32. (PREVIOUSLY ADDED) The method of Claim 25, wherein the coating layer of the substrate is coated with an anti-reflective layer.

33. (PREVIOUSLY ADDED) The method of Claim 25, wherein the plurality of ultra-short pulsed laser beams is obtained by splitting a primary ultra-short pulsed laser beam using a beam splitter.

34. (PREVIOUSLY ADDED) The method of Claim 25, wherein the plurality of ultra-short pulsed laser beams is passed through a light modulator array, comprising an array of individually controllable elements that are each adapted to be set to either allow

Attorney Docket: 501012.20517 (22868.49)

each beam of the plurality of ultra-short pulsed laser beams to traverse through, or effectively block it, thus achieving control over each beam separately.

35. (PREVIOUSLY ADDED) The method of Claim 34, wherein the focusing means comprises a microlens array, consisting of an array of microlens elements foci of predetermined lengths, said microlens array elements corresponding to the elements of the light modulator array so that a beam passing through an element of the light modulator array is focused by a corresponding element of the microlens array onto a target location.

36. (PREVIOUSLY ADDED) The method of Claim 25, wherein displacing means for facilitating relative displacement of the reticle blank relative to said at least one of a plurality of target locations are provided.

37. (PREVIOUSLY ADDED) The method of Claim 25, wherein the displacing means comprises a motor-driven XYZ moving stage.

38. (PREVIOUSLY ADDED) The method of Claim 37, wherein said motor-driven moving stage is computer-controlled.

39. (PREVIOUSLY ADDED) The method of Claim 25, wherein the displacing means comprises a laser beam angle scanner.

40. (PREVIOUSLY ADDED) The method of Claim 25, wherein the displacement means comprises a motor driven XYZ stage and a laser beam angle scanner

ReedSmith

FAX TRANSMITTAL

Date: October 5, 2004

Reed Smith LLP
435 Sixth Avenue
Pittsburgh, PA 15219-1886
412.288.3131
Fax 412.288.3063

Total Number Of Pages Including Cover Page: 6

FAX TO

Name	Company	Fax Number	Phone Number
Examiner Martin J. Angebrannt	USPTO	1-571-273-1378	

Original will follow via: ☐ Regular Mail ☐ Overnight Delivery ☐ Messenger ☒ None

NOTES:

Proposed claim amendments for interview concerning U.S. patent application S.N. 09/950,038.

W.H. Dippert

212-521-5408

If you do not receive all of the pages, please call us at 412.288.3131.

Please Transmit Before ☐9 ☐10 ☐11 a.m. ☐12 ☐1 ☐2 ☐3 ☐4 ☐5 ☐6 ☐7 ☐8 p.m.

Client Number: _____ Matter Number: _____ Attorney Number: _____
Transmission Time: _____ a.m./p.m. Finish Time: _____ a.m./p.m.
Operator: _____

PLEASE NOTE: The information contained in this facsimile message may be privileged and confidential, and is intended only for the use of the individual(s) or entity named above who has been specifically authorized to receive it. If the reader is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return all pages to the address shown above. Thank you.

LONDON • NEW YORK • LOS ANGELES • SAN FRANCISCO • WASHINGTON, D.C. • PHILADELPHIA • PITTSBURGH • OAKLAND • PRINCETON
FALLS CHURCH • WILMINGTON • NEWARK • MIDLANDS, U.K. • CENTURY CITY • RICHMOND • LEESBURG • WESTLAKE VILLAGE

reedsmith.com

10/5/04 11:51 AM